

COPY RECEIVED
DATE: 7/25/10
TIME: 10:20 AM
TOWN CLERK'S OFFICE

NOTICE OF PUBLIC HEARING

The Seymour WPCA will hold a public hearing on the addition of Section 3.7.1 to its regulations on February 2, 2010 at 6:30p.m. The purpose of the hearing is to take public comment on the proposed Section. Said proposed Section is on file at the Seymour Town Clerk's office located at 1 First Street, Seymour, Connecticut and reads as follows:


Section 3.7.1

An approved backflow protection device must be installed in a sewer lateral whenever the elevation of the basement floor of a building is lower than the top of frame of the downstream manhole of the sanitary sewer line to which it is to be connected. Said device shall be installed outside the building, be intended for horizontal use with an access opening positioned upright and be pitched at the same slope as the connection pipe (but not greater than 1/4" per foot). The device shall be manufactured with an extendable exterior riser pipe, and an internal insert pipe attached to a replaceable pvc flapper assembly. The exterior riser pipe shall be fitted with an adaptor cap which, must be installed at the surface for easy access.

The hearing shall take place at the main office of the Seymour WPCA located at 732 Derby Avenue, Seymour, Connecticut.

Dated this 20th day of January, 2010.

Seymour WPCA



By it's Attorney,
Steven P. Kulas